

L Number	Hits	Search Text	DB	Time stamp
1	7	<p>(bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:53
2	30265	<p>345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:53
3	0	<p>((bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) and (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:49
4	17	<p>(bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>same (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:50

09/816,324

5	3	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>same (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or thoroughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:50
6	220	<p>(bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:53
7	20	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 05:05
8	346	<p>(bit\$1 or byte or nibble\$1)</p> <p>near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>same (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or thoroughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 05:09

9	68	<p>(345/555.cccls. or 382/166.cccls. or 382/232-253.cccls. or 348/14.13.cccls. or 348/384.1-440.1.cccls. or 348/608.cccls. or 348/642.cccls. or 348/699.cccls. or 348/700.cccls. or 358/1.15.cccls. or 358/1.16.cccls. or 358/426.01-426.16.cccls. or 358/470.cccls. or 358/539.cccls. or 375/240-254.cccls. or 386/27.cccls. or 386/33.cccls. or 386/101.cccls. or 386/109-112.cccls. or 707/101.cccls. or 707/104.1.cccls. or 708/203.cccls. or 708/497.cccls. or 708/551.cccls. or 709/247.cccls. or 710/68.cccls.) and ((bit\$1 or byte or nibble\$1)</p> <p>near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradication\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>same (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 05:09
---	----	---	---	------------------

L Number	Hits	Search Text	DB	Time stamp
1	7	<p>(bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:53
2	30265	<p>345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:53
3	0	<p>((bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>near4 (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>) and (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:49
4	17	<p>(bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>same (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:50

09/816, 324

5	3	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>same (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p>)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:50
6	220	<p>(bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 04:53
7	20	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p>)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 05:05

8	346	(bit\$1 or byte or nibble\$1) near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4) near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4) same (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 05:09
9	68	(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((bit\$1 or byte or nibble\$1) near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4) near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4) same (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or throughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)) (bit\$1 or byte or nibble\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:06
10	269	(bit\$1 or byte or nibble\$1) near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4) near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4) near4 (precompres\$7 or pre or input\$3 or apriori or priori)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:06

11	46	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((bit\$1 or byte or nibble\$1) near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4) near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4) near4 (precompres\$7 or pre or input\$3 or apriori or priori))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:38
12	2753	<p>(weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4) near4 (bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:51
13	277	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4) near4 (bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:39
14	38	<p>(weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4) near4 (bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1) near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:50

15	1	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p> <p>near4 (bit\$1 adj1 (length\$3 or resolution\$1 or depth\$1) or bitdepth\$3 or bitlength\$1)</p> <p>) near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4))</p> <p>(bit\$1 or byte or nibble\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:50
16	60336	<p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:51
17	6250	<p>((bit\$1 or byte or nibble\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)</p> <p>) near4 (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:52
18	372	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((bit\$1 or byte or nibble\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)</p> <p>) near4 (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p> <p>)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:51

19	889	((bit\$1 or byte or nibble\$1)) near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradicat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)) near4 (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)) near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4 or precision\$1 or number\$1) (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((bit\$1 or byte or nibble\$1)) near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradicat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)) near4 (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)) near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4 or precision\$1 or number\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:52
20	120	(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((bit\$1 or byte or nibble\$1)) near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradicat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)) near4 (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)) near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4 or precision\$1 or number\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 06:53

21	104	<p>((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((bit\$1 or byte or nibble\$1)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)</p> <p>) near4 (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p> <p>) near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4 or precision\$1 or number\$1)) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((bit\$1 or byte or nibble\$1)</p> <p>near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4)</p> <p>same (bandwidth\$1 or band adj1 width\$1 or band-width\$1 or fulnes\$3 or fullnes\$3 or bitrate\$1 or rate\$1 or baud\$5 or (data or transmi\$6 or bit\$1 or digital or communicat\$5) near speed\$3 or datarate\$1 or rate\$1 or BPS or thoroughput\$3 or throughput\$3 or bits adj1 per adj1 second\$1 or bits-per-second\$1 or frames-per\$7 or FPS or transcod\$4)</p> <p>)) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((bit\$1 or byte or nibble\$1)</p> <p>near4 (significanc\$4 or significant\$4 or LSB\$1 or lower\$3 or least or insignifican\$4)</p> <p>near4 (truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradcat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 09:34
Search History	5/19/04	1234128 (from page 7 or pre or input\$3 or a priori or priori)) not (((weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1		

C:\APPS\EA\ST\Workspaces\x\wsp

22	554	<p>(how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or significan\$4 adj1 bit\$1)</p> <p>near4 (keep\$1 or preserve\$1 or retain\$4 or truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradicat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 09:35
23	61	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or significan\$4 adj1 bit\$1)</p> <p>near4 (keep\$1 or preserve\$1 or retain\$4 or truncat\$4 or remov\$4 or eliminat\$4 or throw\$4 or throwout\$4 or drop\$4 or clears or clearing or omit\$4 or eras\$4 or delet\$4 or expung\$4 or eradicat\$4 or annihilat\$4 or eject\$4 or rid or rids or purg\$4 or discard\$4 or limit\$4)</p> <p>)</p> <p>(how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 09:57
24	8458	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 10:42
25	373	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>)</p> <p>((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 10:00
26	3789	<p>) same (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 10:00

27	145	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) same (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 10:00
28	5643	<p>(how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 10:43
29	234	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 10:43

30	136	<p>((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>)) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) same (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:42
31	216	<p>(how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:43
32	55	<p>((how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) and ("348" or "382" or "358" or "345")</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:45

33	49	<p>(((how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) and ("348" or "382" or "358" or "345")) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) same (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) same (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)))</p> <p>((how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) and ("348" or "382" or "358" or "345").clas.</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:43
34	28	<p>(((how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) and ("348" or "382" or "358" or "345").clas.</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:45

35	23	<p>((how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) and ("348" or "382" or "358" or "345").clas.) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) same (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p> <p>) same (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4)))</p> <p>(how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 bit\$1</p> <p>near7 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:48
36	167	<p>((how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 bit\$1</p> <p>near7 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:48

37	25	((how adj1 many or counting or enumerat\$4 or tally\$3 or counts) near2 bit\$1 near7 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)) and ("348" or "382" or "358" or "345").clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:48
----	----	--	---	------------------

38	12	<p>(((how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 bit\$1</p> <p>near7 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)) and ("348" or "382" or "358" or "345").clas.) not (((how adj1 many or counting or enumerat\$4 or tally\$3 or counts)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)) and ("348" or "382" or "358" or "345").clas.) not (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)) same (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))) not (((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near2 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)) not (((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-254.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((how adj1 many or count\$3 or number\$3 or enumerat\$4 or tally\$3)</p> <p>near4 (MSB\$1 or (highest or higher or high or most\$3) adj1 significan\$4 adj1 bit\$1)) same (weight\$4 or based adj1 on or adapt\$3 or adaptiv\$3 or adjust\$3 or alter\$3 or changeabl\$3 or change\$1 or changing\$4 or choice\$1 or choise\$1 or choos\$3 or chose\$1 or compensat\$3 or elect\$3 or modifi\$3 or modify\$3 or pick\$3 or select\$5 or selective\$3 or substitut\$4 or updat\$3 or vary\$3 or variab\$3 or designat\$4))))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 12:48
----	----	--	---	------------------